

Web\_

Show options...

Results 1 - 10 of about 1,160 for gatekeeper recover rrq rcf rrj. (0.49 seconds)

1. Cisco IOS Voice Troubleshooting and Monitoring - H.323 Gatekeeper ...

The **RRJ** is the result of a no-zone prefix defined in the **gatekeeper**. .... An endpoint that detects the failure of its **gatekeeper** can safely **recover** from that ... the gateway (upon not hearing an **RCF** or **RRJ** for its lightweight **RRQ**) tries ... docwiki.cisco.com/../Cisco\_IOS\_Voice\_Troubleshooting\_and\_Monitoring\_—H.323 **Gatekeeper** Troubleshooting - Cached - Similar

2. Ecosystem Gatekeeper Interoperability Enhancements [Cisco IOS ...

This document describes the Ecosystem **Gatekeeper** Interoperability .... during the **gatekeeper** confirmation (GCF) and registration confirmation (RCF) phases. ... RRJ—A RAS message sent as a registration rejection. RRQ—A RAS message sent ... www.ciscosystems.ch/en/US/docs/ios/12 11/12../dtarjrrj.html - Cached

3. H.225: Call Signaling & RAS (Registration Admission Status) Overview

RegistrationRequest (**RRQ**). Request from a terminal or gateway to register with a **gatekeeper**. **Gatekeeper** either confirms or rejects (**RCF** or **RRJ**). ... www.javvin.com/protocolH225.html - Cached - Similar

4. GNU Gatekeeper - Manual Chapter 13

Jun 26, 2002 ... The **gatekeeper** receives a RegistrationRequest (**RRQ**) and responds with a RegistrationConfirm (**RCF**). **RRJ**||P|Aliases|Endpoint\_Type|RejectReason ... www.gnugk.org/gnugk-manual-13.html - <u>Cached</u> - <u>Similar</u>

5. Gatekeeper Transaction Message Protocol Interface Resiliency ...

Cisco **Gatekeeper** External Interface Reference, Version 3.1 .... RESPONSE **RRQ** Received = 0. RESPONSE **RRJ** Received = 0 ... www.cisco.com/en/US/docs/ios/12\_2t/12\_2t8/../ftgkire.html - <u>Cached</u>

6. Cisco CallManager Administration Guide, Release 3.3(2 ...

The system must send a keepalive **RRQ** to the **gatekeeper** before the **RRQ** Time to Live expires. ... The **gatekeeper** may confirm (**RCF**) or deny (**RRJ**) the request. ... www.ciscosystems.org.ro/en/US/docs/voice.../b06gatkp.html - <u>Gached</u>

7. H.323 back-end services for intra-zone and inter-zone mobility ...

An H.323 **gatekeeper** (GK) needs to have certain additional features to ..... However, the extended **RRQ/RCF/RRJ** messages shall be used as described in my ... www.patentstorm.us/patents/6947432/description.html

8. Arrangement for distributing and dispatching traffic in a network...

by K Kliland - 2004 - Cited by 2 - Pelated articles - All 2 versions

The lightweight **gatekeeper** replies with Registration Confirm (**RCF**) including ... requests (**RRQ**) from endpoints, but should always reject them (**RRJ**) with reason ... Further the **gatekeepers** are able to **recover** automatically after a crash, ... www.freepatentsonline.com/6738383.html

9. voip vs pstn

Dec 11, 2009 ... H.323 – H.225 RAS Messages • Gatekeeper. Discovery Registration Registration. • GRQ, CCF, GRJ • Terminal/Gateway. • RRQ, RCF, RRJ ... www.scribd.com/doc/23991652/voip-vs-pstn - <u>Cached</u>

10. Distributed Gatekeeper Architecture for H.323-based Multimedia ...

by RR Roy - <u>Offed by 5 - Related articles</u> **gatekeeper** discovery (GRQ, GCF/GRJ), endpoint registration (**RRQ**, **RCF/RRJ**), endpoint location (LRQ, LCF/LRJ), admission (ARQ, ACF/ARJ), bandwidth ... doi.ieeecomputersociety.org/10.110910.1109/LCN.1999.801999



gatekeeper recover rrq rcf rrj

Search

Search within results - Language Tools - Search Help - Dissatisfied? Help us improve - Try Google Experimental

Google Home - Advertising Programs - Business Solutions - Privacy - About Google